My dark plugins development history ~ over 10 years ~





"My presentation may be the last. So I need to speak the development history."

Profile

- Shougo= 暗黒美無王
- "Dark Vim Master"

(pronounciation: Uncock Vim Awe)

Text editor is the world







VimConf 2019's theme

"How to be more productive with Vim?"



"more productive with Vim" is ...

• To develop dark plugins is my productive method!

Pinned		Customize yo	our pins
📮 deoplete.nvim	=	📮 dein.vim	≡
Ø Dark powered asynchronous completion framework for neovim/Vim8		Dark powered Vim/Neovim plugin manager	
● Python 🔺 4.5k 😵 257		● Vim script 🔺 2.4k 😵 137	
📮 denite.nvim	≡	📮 deol.nvim	≡
Dark powered asynchronous unite all interfaces for Neovim/Vim8		Dark powered shell interface for NeoVim and Vim8.	
● Python 🔺 1.5k 😵 196		● Vim script 🔺 170 💡 6	
📮 deoppet.nvim	=	La defx.nvim	=
The dark powered snippet plugin for neovim		The dark powered file explorer implementation	
● Python ★ 141 😵 1		● Python 🔺 428 😵 29	

My theme is ...

- My dark plugins development history over 10 years
- "Why does Shougo discard Vim script and choose Python3 instead?"



What is "dark plugins"?(1)

I want to do everything in Vim(neovim) like Emacs

It is not allowed by ":help designnot" in Vim

VIM IS... NOT

design-not

Vim is not a shell or an Operating System. It does provide a terminal window, in which you can run a shell or debugger. E.g. to be able to do this over an ssh connection. But if you don't need a text editor with that it is out of scope (use something like screen or tmux instead). A satirical way to say this: "Unlike Emacs, Vim does not attempt to include everything but the kitchen sink, but some people say that you can clean one with it. ;-)"

To use Vim with gdb see: http://www.agide.org and http://clewn.sf.net.

 Vim is not a fancy GUI editor that tries to look nice at the cost of being less consistent over all platforms. But functional GUI features are welcomed.

What is "dark plugins"?(2)

- It is not the light way to use Vim
- I have defined it as the dark way

My plugins are dark powered!

Zero generation plugins

- Autocomplpop.vim(acp.vim)
- FuzzyFinder.vim(fzf.vim)
- Shell.vim

Why did I use the plugins?

- I used IDEs in Windows
- I wanted to use IDE features

Why did I quit to use zero generation plugins?

- The plugins are not customizable fully
- Does not exist plugins for me
- I can create the plugins!

1st generation plugins

- vimshell.vim (2009)
- neocomplcache.vim (2009)
- neosnippet.vim (2012)

Vimshell.vim

000	[vimshell]	- de	fault (~/Cod	e/dotfiles) – VIM	म
.vimrc	🛇 [vimshell] - default 🕞				
1 ~/Code/dotfiles>	git status				
2 # On branch maste					
3 # Your branch is a	ahead of 'origin/master' by	1 C	ommit.		
4 #					
5 # Changes to be co					
6 # modified:					
7 # modified:					
8 # modified: 9 #	vim/bundles.vim				
The second se	<pre>cat ~/yankring_history_v2.t</pre>	xt			
11					
12 16.577: sourcing ,	/Users/onemanstartup,v				
13 colorscheme base10	6-tomorrow^Bset background=	dark	^B,V		
14 colorscheme base10					
				<pre>n/7.4-70/MacVim.app/Contents/Resources/vim/runtime/syn</pre>	
				<pre>im/bundle/vim-smartinput/autoload/smartinput.vim^B411.</pre>	>
17 487.033 070.336 18 # ctrl-p conflict		onema	nstartup/.v	im/bundle/vim—easytags/plugin/easytags.vim,v	
	tup/.vim/bundle/brolink.vim	/nlu	ain/brolink	vim v	
20 :let g:session_au		vpru	gin/ brotink	. а Тш ¹ а	
21 vim-misc,v					
22 xolox/vim-shell,v					
23 maciakl/vim-neats	tatus,v				
24 ~/Code/dotfiles>	echo				
	echo		internal		
	exe		execute		
	exit eval		internal internal		
	erb*		command		
	erb-rbx-head*		command		
	erb-ruby-1.8.7-p370*		command		
	erb-ruby-1.9.3-p194*	[sh]	command		
~	erb-ruby-1.9.3-p327-turbo*	[sh]	command		
	erb-ruby-2.0.0-p195*		command		
	erb-ruby-2.0.0-p247*		command		
the second secon	erd*		command		
vimshell > /Users/o	erubis* O^N^P) match 1 of 53	[SN]	command		
Omni comptetion (*)	ON P/ Match 1 01 55				

Neocomplcache.vim


<pre>call neocomplcache#set_variable_pattern('g:neoco \'\<\u\w*\%(\.\w*\%(()\?\)\?\)*\ [@]\?\h\w</pre>		s', 'java',
ca		
cabbrev ; like "abbreviate" but forand-line m	ode c [V] command	, 'javascript,actions
cabclear ; clear all abbreviationsand-line m	ode c [V] command	
caddbuffer ; add errors from buffer	c [V] command	, 'awk',
caddexpr ; add errors from expr	c [V] command	
caddfile ; add error message to curquickfix l	ist c [V] command	<pre>, 'haskell,int-ghci',</pre>
call ; call a function	c [V] command	
catch ; part of a try command	c [V] command	, 'ml,ocaml,int-ocaml
Capture command	c [V] command	
call([B] neocomplcache.v	, 'erlang, int-erl',
cache	[B] neocomplcache.v	7
case	[B] neocomplcache.v	<pre>/ , 'html, xhtml, xml, mai</pre>
Caching	[B] neocomplcache.v	num:]]*="\%([^"]*"`
Camel	[B] neocomplcache.v	/ , 'css',
cached	[B] neocomplcache.v	7
call neocomplcache#set_variable_pattern('g:neoco	mplcache_keyword_patterns	s', 'tags',

Neosnippet.vim

str
<pre>strong [nsnip] \${1: }\${</pre>
<pre></pre>
<u p>
013-05-20-135702.html
/.vim_junk/2013/05/2013-05-20-135702.html" [converted] 4L, 18C
Junk/2013/03/2013-03-20-135/02.ncmi [converted] 4L, 16C

1st generation features

- Custimizable
- Many functions
- Pluggable



2nd generation plugins

- unite.vim (2010)
- vimfiler.vim (2010)
- neobundle.vim (2011)
- neocomplete.vim (2013)

2nd generation features

- Use if_lua
- Plugins combination



I choosed if lua because,...

Vim script is too Slow!!!

Plugins combination examples

- Unite.vim + vimfiler.vim
- Neocomplete.vim + neosnippet.vim
- Unite.vim + neobundle.vim

3rd generation plugins

- deoplete.nvim (2015)
- denite.nvim (2016)
- deol.nvim (2016)
- dein.vim (2015)

3rd generation features

- Use Vim8/neovim features
- Use Python3 instead
- Asynchronous



Use Vim8/neovim features


- :terminal
- Job APIs
- Remote plugins
- winid
- And more...

• No more Vim 7!

I have chosen Python3 because...

Vim script is too Slow!!!

Python3 vs if_lua



For example:

ole

neocomplc Q, neocomplcache 0 neocomplcache 重い 0 neocomplcache 設定 0 neocomplcache 使い 0 neocomplcache スニペ 0 neocomplcache python 0 neocomplcache キーバイ 0 neocomplcache 설치 Q slow!

unite.vim slow

Q すべて I 動画 目 ニュース I 画像 ⊘ ショッピング :もっと見る 設定

約1,080,000件 (0.41秒)

ヒント: 日本語の検索結果のみ表示します。検索言語は [表示設定] で指定できます。

file rec/async! still slow · Issue #890 · Shougo/unite.vim · GitHub https://github.com · Shougo · unite.vim · issues マ このページを訳す

2015/04/05 - vim --version VIM - Vi IMproved 7.4 (2013 Aug 10, compiled Apr 5 2015 13:16:22) Included patches: 1-691 Compiled by tony@yoga Huge version without GUI. Features included (+) or not (-): +acl +farsi +mouse_netterm ...

file_rec/asvnc:! extremelv_slow - Issue #723 - Shougo/unite.vim ... https://github.com - Shougo - unite.vim - issues マ このページを訳す

2014/09/02 - Problems summary When I invoke Unite -no-split -buffer-name=files -start-insert file_rec/async:! and I start typing a file name, it takes seconds to start to showing results. Moreover, despite having selected Ag as a my grep file, ...

What is your Unite trick? : vim - Reddit

https://www.reddit.com > vim > comments > what_is_yo... マ このページを訳す

2015/11/08 - r/vim: For Vim enthusiasts and anyone interested in Vim. ... is not really that useful and I keep removing it or adding it often but when I write Unicode stuff, **unite**-unicode though **slow**, is much better for me to use than remember Unicode stuff.

Unite is really slow compared to Ctrl-P : vim	2015年11月19日
What is denite / unite for? And how is it different / better than	2018年8月2日
:find speed expectations : vim	2016年6月12日
Using Unite.vim and file_rec/neovim source : neovim	2015年9月30日
www.reddit.com からの検索結果	

Q

4th generation plugins

- deoplete.nvim (2019, ver. 5.1~)
- denite.nvim (2019, ver. 3.0~)
- deoppet.nvim (2017)
- defx.nvim (2018)

4th generation features

- Type definitions
- Non default key-mappings
- Remove configuration variables



Why is type definition important?

- It can detect some bugs
- Detect bugs is important

Why non default key-mappings?(1)

https://github.com/Shougo/ defx.nvim/issues/5

Default key mappings #5

Closed kutsan opened this issue on 2 Feb 2018 · 11 comments



kutsan commented on 2 Feb 2018 · edited -

+ 😐 🚥

I am sorry Shougo but I would like to say your default key mappings of choices were horrible for vimfiler. I know you can change it but it's not a great experience for first-time users. Like, who would have thought to press Shift + K to make a new directory? There is no mnemonic and it's not intuitional. So, if you don't mind, can we discuss this before its implementation? They should be easy to remember and well-thought. For example, cf, [c]reate [f]ile or cd, [c]reate [d]irectory something like that. Although this can be more intuitive with dd, cut file or directory under cursor and yy, copy file or directory under cursor.

Why non default key-mappings?(2)

- No best default key mappings
- Hard to define defaults
- Conflict with other plugins/config

Default mappings are not needed!

Why I have removed configuration variables?

 Functions can keep interfaces in multiple plugins

• Example:

call defx#custom#option('_', {})
call denite#custom#option('_', {})

Let's create your plugins!

- This is just my history.
- You can choose other selection!



Your Vim is your text editor!





The extra: denite.nvim version 3



Denite.nvim big changes

Many issues are reported after upgrade

	bugo / denite.nvim	O Unwatch +			1,483	v Fork 196
<> Co	ode 🕦 Issues 4 j Pull requests 0 💷 Projects 0 💷 Wiki	C Security	Insi	ghts 🔅	Settings	
RF	C] Replace UI #624					Edit
թ. Mei	shougo merged 144 commits into master from ui 👸 on 1 Ju	un				
çp C	onversation 197 . Commits 144 R. Checks 0 E Fil	es changed 6	5		+1,51	9 –6,003 🔳
Kar	Shougo commented on 24 Apr • edited -	Owner	+ 🙂 …	Rev	viewers	4
	Fix #509 #625			No	reviews	
	♥ 4			Ass	ignees	4
				No	one—assigr	n yourself
	 Milly referenced this pull request on 26 Apr Feature request: Customize default-action per kind. #628 		ন Clos	Lab		
	Feature request: Customize default-action per kind. #628	t	_ீ Clos	ed Lab		
			_Ɓ Clos	ed Lab Nor	els	4
1 and	Feature request: Customize default-action per kind. #628 Shougo force-pushed the ui branch from 5bc367e to 1de2			ed Lab Nor Pro	els ne yet	4
iljan 1	Feature request: Customize default-action per kind. #628 Shougo force-pushed the ui branch from 5bc367e to 1de2	25c3 on 6 May		ed Nor Pro	els ne yet jects	5
i fart	Feature request: Customize default-action per kind. #628 Image: Shougo force-pushed the ui branch from 5bc367e to 1de2 Shougo commented on 6 May	25c3 on 6 May		ed Lab Nor Pro Nor Mile	els ne yet jects ne yet	yourself
ġ.,	Feature request: Customize default-action per kind. #628 Image: Shougo force-pushed the ui branch from 5bc367e to 1de2 Shougo commented on 6 May	25c3 on 6 May		ed Lab Nor Pro Nor Mile No	els le yet jects le yet estone	5

Steal your input

- Define original mappings
- Similar to ctrlp.vim

N Neovim		
1 autocmds.vim		Buffers
<pre>1 "</pre>		<pre>[in]: ~/.SpaceVim/ autoload/ bin/ build/ colors/ config/ doc/ docker/ docs/ ftplugin/ lua/ mode/ reddit/ reddit/ syntax/ test/ wiki/ addon-info.json appveyor.yml CODE_OF_CONDUCT.md codecov.yml CODF_OF_CONDUCT.md codecov.yml CONTRIBUTING.md filetype.vim ginit.vim init.vim lLICENSE Makefile README.nd vimrc</pre>
<pre>docs\layers\lang\java.md docs\cn\layers\lang\java.md test\config\java_getset.vader config\plugins\java_getset.vim docs\layers\lang\javascript.md test\config\javascript.md config\plugins\vim-javacomplete2.vim autoload\SpaceVim\layers\lang\java.vim autoload\SpaceVim\layers\lang\javascript.vim docs_posts\2017-02-11-use-vim-as-a-java-ide.md docs_posts\2019-01-27-use-vim-as-a-javascript-ide.md docs_posts\2019-01-30-use-vim-as-a-javascript-ide.md docs_posts\2019-01-30-use-vim-as-a-javascript-ide.md</pre>		
INSERT) file/rec(14/778) > java		3 defx

Neovim		
1 autocmds.vim		Buffers
	[in]: ~/.SpaceVim, autoload/	<i>V</i>
	bin/	
4 " Author: Shidong Wang < wsdjeg at 163.com >	build/	
	colors/	
	<pre>config/</pre>	
	•===========	
	 docker/ docs/ 	
] 10 let s:SYS = SpaceVim#api#import('system')	<pre>b docs/ ftplugin/</pre>	
<pre>11 let s:JOB = SpaceVim#api#import('job')</pre>	▶ lua/	
	▶ mode/	
	<pre>> reddit/</pre>	
	> syntax/	
15 function! SpaceVim#autocmds#init() abort 1 7.3k autocmds.vim vim # s	▶ test/ unix utf-8 Top ▶ wiki/	
ocs\layers\lang\ java. md	addon-info.json	
ocs\cn\layers\lang\ java. md	appveyor.yml	
est\config\java_getset.vader	CODE_OF_CONDUCT.me	ıd
onfig\plugins\java_getset	codecov.yml	
ocs\layers\lang\ java scrip	CONTRIBUTING.md	
est\config\ java complete.v	filetype.vim	
est\config\javacomplete.v bcs\cn\layers\lang\javasc pnfig\plugins\vim-javascom utoload\SpaceVim\layers\l utoload\SpaceVim\layers\l	ginit.vim init.vim	
onfig\plugins\vim- java com utoload\SpaceVim\layers\l	LICENSE	
utoload\SpaceVim\layers\l	Makefile	
pcs_posts\2017-02-11-use	README.cn.md	
ocs_posts\2018-09-19-use	README.md	
pcs_posts\2019-01-27-use-vim-as	vimrc	
pcs_posts\2019-01-30-use-vice		
USEDT		
iava file file file file file file file file	[C:\Users\wsdjeg\.SpaceVim] 1/14 3 defx	

Prompt UI's disadvantages

- Ignore user's configuration
- Hard to work asynchronously
- Cannot combine with other plugins

• They fit with my policy???

My plugin development policy

- Customizable
- Combine with other plugins
- Asynchronous if possible

Replace prompt.nvim to normal buffer

Edit buffer instead of command line

I autochus.vim		Durrers
<pre>1 "</pre>	<pre>[in]: ~/.S autoload/ bin/ build/ colors/ colorig/ doc/ docker/ docs/ ftplugin/ lua/ mode/ reddit/</pre>	<pre>bin/ build/ build/ colors/ config/ doc/ dock/ dock/ docs/ ftplugin/ lua/ mode/ reddit/ syntax/ test/ viki/ addon-info.json appveyor.yml CODE_OF_CONDUCT.md codecov.yml CONTRIBUTING.md filetype.vim ginit.vim init.vim init.vim LICENSE Makefile README.cn.md README.cn.md README.cn.md NeadME.cn.md README.cn.md NeadME.cn.md NeadME</pre>
7.3k autocmds.vim vim # s ddcs\layers\lang\java.md ddcs\cn\layers\lang\java.md test\config\java_getset.vader config\plugins\java_getset.vim ddcs\layers\lang\javascript.md test\config\javacomplete.vader ddcs\cn\layers\lang\javascript.md config\plugins\vim_javascriptete2.vim autoload\SpaceVim\layers\lang\javascript.vim ddcs_posts\2017-02-11-use-vim-as-a_java-ide.md ddcs_posts\2019-01-27-use-vim-as-a_javascript-ide.md ddcs_posts\2019-01-30-use-vim-as-a_javascript-ide.md	<pre>unix utf-8 Top > syntax/ > test/ > wiki/ addon-info appveyor.y CODE_OF_CO codecov.ym CONTRIBUT filetype.v ginit.vim init.vim LICENSE Makefile README.cndvimrc</pre>	
Denite file/rec(14/778) > java	[C:\Users\wsdjeg\.SpaceVim] 3 defx	
Filter		

Neovim		u− □ ■× Buffers [in]: ~/.SpaceVim/
2 " autocmd.vim main autocmd group for sp 3 " Copyright (c) 2016-2019 Shidong Wang & Co 4 " Author: Shidong Wang < wsdjeg at 163.com		<pre>> autoload/ > bin/</pre>
5 " URL: https://spacevim.org 6 " License: GPLv3 7 "====================================		
8 9 10 let s:SYS = SpaceVim#api#import('system') 11 let s:JOB = SpaceVim#api#import('job') 12 13	Normal	buffer
1) 7.3k autocmds.vim vim docs\layers\lang\ java. md docs\cn\layers\lang\ java. md		▶ wiki/
<pre>test\config\java_getset.vader config\plugins\java_getset.vim docs\layers\lang\javascript.md test.vanfie\jecosofiel.test.set</pre>		addon-info.json appveyor.yml CODE_OF_CONDUCT.md
<pre>test\config\javacomplete.vader docs\cn\layers\lang\javascript.md config\plugins\vim-javacomplete2.vim autoload\SpaceVim\layers\lang\java.vim autoload\SpaceVim\layers\lang\javascript docs_posts\2017-02-11-use-vim-as-a-java docs_posts\2018-09-19-use-vim-as-a-java docs_posts\2019-01-27-use-vim-as-a-i docs_posts\2019-01-30-use-vim-as-a-i</pre>	Edit bu	ffer
Denite) file/rec(14/778) > java		
Filter		

New UI advantages

- Use user's configuration
- Easy to work asynchronously
- Can combine with other plugins

The features fit with my policy!

Denite.nvim version 3 Demo

The extra2: My development note



My development style

 https://employmen t.en-japan.com/en gineerhub/entry/2 018/08/28/110000 エフチンニア Hub Con エフ転職 若手Webエンジニアのための情報メディア

エン転職TOP > エンジニアHub > deoplete.nvim開発者、Shougoが考える「Vimの限界ギリ

2018-08-28

deoplete.nvim開発者、Shougoが考える「Vimの 限界ギリギリ」を攻めるプラグイン開発の裏側

多くのエンジニアに愛されるテキストエディタ『Vim』のプラグインを作り続ける Shougoさん。Vimmerならば一度は使ったことがある、というほどに広く知られたプ ラグインを作り続ける理由を聞きました。

418 35 ¥ツイート Β!ブックマーク 〒シェア



「あなたにとって、テキストエディタとは何ですか?」

こう聞かれたとき、あなたは何と答えるでしょうか。開発に不可欠な大事なツール、 あるいは、ただの道具――。きっと十人十色の回答が返ってくるでしょう。

この問いに対し、「テキストエディタとは世界」と迷いなく答えるエンジニアがいま

I don't use memo plugins!

- Memolist.vim
- QfixHowm
- Vimwiki
- •

I use paper note for development

• Here

たは近日からをすい	れったたか) 秋秋 発生するらしい、たかり移てられてろゆる」ま
TATA THE THE THE	「一限計算が決重をは、 entire nlextのすれらのた
the truth state	I all radia a sector it
initial initial and initiana and initial and initial and initial and initial a	to the the second and the the start
Matcher, singer	3, ARA E to the summaries
012アショーデレードでもよろ、 たけ」西田するというのはなからる。	4. some sty dentie the ctx t prove all considerers ten I
コフレンサルをかたしたりけか、これをけてきあまして	Tome & Varia 12 ctx (pro- titled - contracted) Twy + Effect - \$1435125 ctx (pro- titled - contracted)
	「なりままんする
1-1	Classiz
引き予定している。残るタスケリまプルタリョングタレフォーマニスアッフリ	kind natios的招告ので既在Kind 至上客生?
	ユーヤーイ明末的に指定することでのみ有効。
tay 2019 Updatet - ARCER	-get_adin_tinget () ===================================
チンクチョン人手可能になるういし	
	hindをloadしたあとして書を換える方向性ならでき
いたたで生気に入る、どうするか	Posist_actions, redeam_actions
	attr Elepitic
	the second se
> master tot 472 no Eres 2. +151/12	to a since of
	*, denite 11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
> master Tylz At	Litt inditatione Titaz Table a
	一 Tiller_Apartie Sav
aprovenie and a second and a	ENERTIC CONTRACT
t-action = open でれ-YIL 位置が優美了れたい.	日本日本日本市
	**/*/
e_action()	X domite septimite Applituit
17 RASILIST237	マキマモ 林田市と日前がにいた
	arthurte 2012 to and the
	nithirlite rante mean internet
A A A A	B-assilia and
Mas (self cursor) 村区里·	
and the second sec	

I use the paper note for...

- (Finished)task list
- Technology notes
- Survey for issues

Why do I use paper note?

- Not needed PC!
- Free style





The note is the strongest Vim for me!

• Thank you!

51



Any questions?